

968190-55999980

666653

FIG. 1




FIG. 2





FIG. 3



069578-1

0.2.19.

32

FIG. 4




FIG. 5






FIG. 6



061896
CLASS
SUBCLASS

08666653-061896

FIG. 7



0866653-061896


0866653-061896

0.013.
CLASS

968T90-ES999980


08 666653

FIG. 8A




968T90" E5999980

FIG. 8B



968T90" C59999980

FIG. 9




08 666653

0.6 FIG.
CLASS

968F90" ES999980


FIG.10




968T90" E59999980

Material	0.6.103.
TY	CLASS
CLASS	CLASS

FIG.11




08 666653



5000

FIG. 13



II

CP

22

32.


31.

33

34-


30

FIG.14



968T90" C59999980

FIG.15



08 666653

FIG. 16A




FIG. 16B




FIG. 16C




FIG.17A




FIG.17B




FIG.17C




FIG.18A




FIG.18B




FIG.19A




FIG.19B




FIG. 20A





FIG. 20B



0866653-061896

APPROVED BY C.O.F.P. 08/18/96

FIG. 21A




FIG. 21B




FIG. 21C




FIG.22A




FIG.22B




FIG.22C




FIG. 23A




FIG. 23B




FIG. 23C




FIG. 24A




FIG. 24B




FIG. 24C




FIG.25A




FIG.25B




FIG.25C





FIG.26



↑
S1 ON MARK

968T90-65999980


0019

968790" 659999980

CLASS

CLASS

FIG. 28



TAPE FEED DIRECTION →

HEAD MOVEMENT DIRECTION →




FIG. 29A

CONTENT	525-Line/60-Field System	625-Line/50-Field System
a Minimum Recording Time	2.06° (3.0H)	2.09° (3.6H)
b Data Area	26.32° (38.4H)	26.29° (45.6H)
c Blank After Recording	2.06° (3.0H)	2.09° (3.6H)
d Video Overlap	2.62° (3.8H)	2.62° (4.5H)
e V-Synch. 1	6H	7H

FIG. 29B

FIG. 30A




FIG. 30B





FIG. 30C



968T90-65999980

SS125

FIG.31

F216		'95.8.29 ~ '95.10.1			
FRAME No.	DATE		PRINT SIZE	QTY	
19	'95.10. 1.	16:00	H	1	
YUKI & FLOWER					
18	'95. 9.30.	17:20	H	1	
17	'95. 9.30.	6:00	P	1	
MT. FUJI					
16	'95. 9.16.	18:00	H	1	
15	'95. 9.16.	17:58	C	1	
GRANDPA					
▲ PLAYBACK ▼				SET	



0866653-051896

CLASS
DATE
TIME

FIG. 32A






FIG. 32B



968T90" ES999980

0.670
0.670
0.670

FIG. 33



08 666653